




Percent coverage by RNTCP




Case detection rates in RNTCP areas 3rd quarter 2001




Conversion rate of India 2nd quarter 2001



Cure rate of India 3rd quarter 2000



Case-detection and treatment success rates in RNTCP areas for third quarter 2001/2000



**Performance of RNTCP Case Detection (2001, 3rd Quarter), Smear Conversion (2001, 2nd Quarter),
and Treatment Outcomes (2000, 3rd Quarter)**

State	Population (in lakh)	% outpatients examined	% S+ve living in the district placed on DOTS	Total cases treated	Annualized total detection rate	New S+ve cases treated	Annualized smear +ve detection rate	Proportion of estimated new smear +ve cases detected*	Ratio of Smear -ve to Smear +ve patients	3 Month Conversion rate of New S+ve	Cure rate of New Smear +ve patients	Success rate of New S+ve
Andhra Pradesh	231	2.5%	94%	6195	107	2859	49	58%	0.8	78%	80%	86%
Assam	12	2.6%	100%	474	158	187	62	73%	0.8	86%	80%	84%
Bihar	112	4.8%	92%	2827	101	1116	40	47%	0.9	94%	91%	91%
Delhi	138	2.9%	81%	7266	206	2342	65	76%	0.7	88%	82%	82%
Gujarat	445	1.8%	86%	13292	124	5137	48	56%	0.7	87%	77%	78%
Haryana	52	3.2%	93%	1852	143	627	48	57%	1.0	87%	77%	80%
Himachal Pradesh	55	5.8%	85%	2606	191	920	67	59%	0.7	92%	89%	89%
Jharkhand	48	3.0%	99%	1232	103	544	43	51%	0.8	89%	80%	80%
Karnataka	199	2.4%	98%	5659	118	2770	58	68%	0.6	86%	87%	87%
Kerala	318	1.4%	97%	5633	71	2525	32	64%	0.6	90%	88%	88%
Madhya Pradesh	66	1.2%	86%	1906	132	642	43	51%	1.2	87%	80%	82%
Maharashtra	603	2.1%	86%	15704	116	5372	38	45%	1.0	88%	85%	85%
Manipur	9	5.6%	87%	463	206	198	88	88%	0.7	94%	86%	86%
Orissa	99	1.5%	85%	3597	146	1739	68	80%	0.6	92%	87%	88%
Punjab	18	1.6%	100%	229	52	101	23	27%	0.2	83%		
Rajasthan	565	2.3%	92%	23021	163	9060	64	75%	0.7	89%	85%	86%
Tamil Nadu	542	1.1%	95%	11941	101	4846	41	48%	0.8	83%	74%	77%
Uttar Pradesh	208	4.4%	94%	7952	153	3129	60	71%	0.9	92%	83%	84%
West Bengal	600	1.4%	94%	17479	117	6694	45	53%	0.9	85%	83%	85%
Grand Total	4318	1.9%	90%	129328	124	50808	49	57%	0.8	87%	83%	84%

* Case detection rate totals based on districts implementing for more than one quarter. Estimated total new smear positive cases adjusted for available data on annual risk of infection for Kerala (estimated new smear positive cases=50/lakh) and Himachal Pradesh (estimated new smear positive cases=115/lakh). In Manipur, estimated new smear +ve cases 100 per lakh.

**Performance of RNTCP Case Detection (2001, 3rd Quarter), Smear Conversion (2001, 2nd Quarter),
and Treatment Outcomes (2000, 3rd Quarter)**

State	District	Population (in lakh)	% outpatients examined	% S+ve living in the district placed on DOTS	Total cases treated	Annualized total detection rate	New S+ve cases treated	Annualized smear +ve detection rate	Ratio of Smear -ve to Smear +ve patients	3 Month Conversion rate of New S+ve	Cure rate of New Smear +ve patients	Success rate of New S+ve
Andhra Pradesh	Anantapur	37	2.0%	97%	1098	120	456	50	1.0	65%		
Andhra Pradesh	Chittoor	37	1.6%	86%	681	74	312	34	0.7	62%		
Andhra Pradesh	Hyderabad	38	3.0%	95%	1061	113	400	43	0.8	87%	85%	85%
Andhra Pradesh	Mahbubnagar	35	2.8%	86%	1023	117	509	58	0.7	68%		
Andhra Pradesh	Medak	28	3.3%	98%	644	93	207	30	1.6	81%	75%	88%
Andhra Pradesh	Rangareddi	35	3.6%	94%	559	64	298	34	0.6	86%		
Andhra Pradesh	Vizianagaram	22	2.5%	100%	1129	204	677	122	0.6	97%		
Assam	Dibrugarh	12	2.6%	100%	474	158	187	62	0.8	86%	80%	84%
Bihar	Muzaffarpur	38	5.1%	99%	889	95	256	27	1.1	91%		
Bihar	Patna	47	3.5%	92%	1051	89	471	40	0.8	97%	90%	90%
Bihar	Vaishali	27			887	131	389	57	0.8	92%	92%	92%
Delhi	DDU Chest Clinic	7		83%	665	380	122	70	1.8	87%	71%	73%
Delhi	GTB Chest Clinic	8		87%	366	183	126	63	0.3	87%	80%	80%
Delhi	Gulabi Bagh	9	3.6%	84%	353	157	99	44	0.6	89%	90%	90%
Delhi	Jhandewalan	5	2.6%	88%	190	152	46	37	1.3	92%	86%	86%
Delhi	Karawal Nagar	9			635	282	261	116	0.6		78%	81%
Delhi	Kingsway	7	2.0%	96%	534	305	184	105	0.4	98%	89%	89%
Delhi	LN Chest Clinic	3	2.3%	96%	88	117	34	45	0.5	74%		
Delhi	LRS	16	3.0%	95%	914	229	332	83	0.4	83%	88%	88%
Delhi	Moti Nagar	5			306	245	79	63	1.1	93%	89%	89%
Delhi	Narela	5	1.7%	93%	202	162	60	48	1.0	96%	85%	85%
Delhi	NDMC	4	4.3%	84%	114	114	48	48	0.4	86%	85%	85%
Delhi	NDTC	2		86%	133	266	34	68	0.8	87%	88%	88%
Delhi	Nehru Nagar	18		87%	629	140	218	48	0.8	86%	77%	78%
Delhi	Patparganj	7	1.6%	74%	359	205	137	78	0.6	84%	77%	77%
Delhi	RK Mission	8	1.8%	76%	332	166	97	49	0.8	91%	86%	86%
Delhi	RTRM Chest Clinic	4	0.7%	96%	175	175	40	40	1.0	86%	78%	78%
Delhi	SGM Chest Clinic	8			656	328	219	110	0.6	92%	80%	80%
Delhi	Shahadra *	8	3.3%	84%	406	203	138	69	0.7	86%	86%	86%
Delhi	SPM Marg	5		93%	209	167	68	54	0.6	85%	70%	70%
Gujarat	Ahmadabad	23	2.1%	93%	632	110	222	39	0.9	96%	88%	88%
Gujarat	AMC	35	4.2%	77%	1829	208	523	60	0.8	82%	70%	72%
Gujarat	Amreli	14	1.8%	88%	277	80	97	28	0.8	96%	69%	69%
Gujarat	Anand	19	2.6%	92%	628	135	292	63	0.4	82%	73%	73%
Gujarat	Banas Kantha	27	1.5%	93%	702	103	237	35	0.9	83%	76%	76%
Gujarat	Bhavnagar	25	2.4%	88%	566	92	219	35	0.6	78%	59%	62%
Gujarat	Dahod	16	1.9%	89%	602	147	264	65	0.5	92%	80%	80%
Gujarat	Gandhinagar	8	3.2%	81%	179	87	67	33	1.2	86%		
Gujarat	Jamnagar	19	1.8%	89%	464	97	178	37	0.6	85%	78%	80%
Gujarat	Junagadh	30	1.4%	90%	732	98	291	39	0.7	81%	70%	73%
Gujarat	Kheda	20	1.4%	91%	693	137	281	56	0.6	83%	76%	76%
Gujarat	Mahesana	17	2.1%	93%	550	131	217	52	0.8	93%	87%	87%
Gujarat	Mansa-Gj	15	1.9%	94%	590	156	221	59	0.9	93%	89%	89%
Gujarat	Panch Mahals	20	1.0%	88%	877	173	340	67	0.7	89%	76%	76%
Gujarat	Rajkot	32	0.9%	74%	703	89	310	39	0.5	88%	76%	77%

**Performance of RNTCP Case Detection (2001, 3rd Quarter), Smear Conversion (2001, 2nd Quarter),
and Treatment Outcomes (2000, 3rd Quarter)**

State	District	Population (in lakh)	% outpatients examined	% S+ve living in the district placed on DOTS	Total cases treated	Annualized total detection rate	New S+ve cases treated	Annualized smear +ve detection rate	Ratio of Smear -ve to Smear +ve patients	3 Month Conversion rate of New S+ve	Cure rate of New Smear +ve patients	Success rate of New S+ve
Gujarat	Sabar Kantha	21	1.2%	89%	980	188	321	62	1.5	89%	89%	90%
Gujarat	Surat	15	2.3%	64%	222	59	117	31	0.5	94%	83%	83%
Gujarat	Surat Mc	24			256	42	109	18	0.7			
Gujarat	Vadodara	14	1.7%	85%	328	92	161	45	0.4	86%		
Gujarat	Vadodara Corp	13	2.5%	93%	382	117	154	47	0.7	91%		
Gujarat	Valsad	26	1.6%	80%	714	108	322	49	0.5	89%	78%	78%
Gujarat	Vyara(Surat)	10	1.4%	76%	386	147	194	74	0.7	72%	65%	71%
Haryana	Faridabad	22	3.0%	97%	792	144	280	51	1.0	92%	84%	84%
Haryana	Gurgaon	17	3.2%	84%	655	154	197	46	1.0	85%	67%	73%
Haryana	Sonipat	13	3.6%	99%	405	125	150	46	0.9	82%	80%	83%
Himachal Pradesh	Bilaspur-Hp	3	1.2%	67%	161	186	80	92	0.3	95%		
Himachal Pradesh	Hamirpur-Hp	4	1.4%	90%	193	187	74	72	0.7	95%	89%	89%
Himachal Pradesh	Kangra	13	2.0%	96%	557	171	199	61	0.8	93%	90%	90%
Himachal Pradesh	Kullu	4	2.0%	87%	272	272	89	89	0.7	85%		
Himachal Pradesh	Lahul & Spiti	0.3	2.0%	80%	20	242	8	97	1.1	93%		
Himachal Pradesh	Mandi	9		92%	560	244	164	71	0.7	91%	89%	89%
Himachal Pradesh	Shimla	7	2.5%	84%	289	168	77	45	1.4	99%	87%	87%
Himachal Pradesh	Sirmour	5	2.5%	76%	180	157	82	72	0.3	92%	83%	83%
Himachal Pradesh	Solan	5	1.9%	69%	251	218	105	91	0.3	92%	95%	95%
Himachal Pradesh	Una	4	1.6%	86%	123	113	42	39	1.1	93%		
Jharkhand	Palamu	21	2.7%		595	114	278	53	0.7	89%		
Jharkhand	Ranchi	27	3.4%	99%	637	95	266	40	0.9	89%	80%	80%
Karnataka	Bagalkot	17	2.3%	100%	500	118	249	59	0.7	93%	85%	85%
Karnataka	Bangalore City	50	4.4%	100%	934	75	380	30	0.6	89%	90%	90%
Karnataka	Bangalore U	15	3.0%	100%	223	59	135	36	0.3	91%	87%	87%
Karnataka	Bellary	20	1.7%	96%	912	180	434	86	0.8	74%		
Karnataka	Bijapur	18	2.4%	99%	542	120	230	51	0.7	89%	80%	80%
Karnataka	Chitradurga	15	1.7%	92%	595	159	371	99	0.4	87%		
Karnataka	Davanagere	18	1.9%	100%	331		156		0.7			
Karnataka	Koppal	12	2.9%	99%	443	154	239	83	0.5	88%		
Karnataka	Mandya	18	1.9%	99%	558	124	254	56	0.8	81%		
Karnataka	Raichur	16	2.7%	98%	621	155	322	81	0.5	94%	84%	84%
Kerala	Alappuzha	21	0.7%	98%	440	84	194	37	0.7	87%		
Kerala	Ernakulam	31	1.7%	100%	748	97	314	41	0.7	88%	90%	91%
Kerala	Idukki	11	0.6%	96%	110	40	50	18	0.4	87%		
Kerala	Kannur	24	1.3%	97%	526	88	220	37	0.6	93%	89%	89%
Kerala	Kasaragod	12	1.4%	92%	166	55	86	29	0.3	88%	83%	83%
Kerala	Kollam	26	3.7%	100%	506	78	275	42	0.6	93%	91%	91%
Kerala	Kottayam	20	1.8%	96%	399	80	177	35	0.7	93%	88%	89%
Kerala	Kozhikode	29	1.1%	97%	474	65	167	23	0.8	89%	83%	86%
Kerala	Malappuram	36	1.5%	97%	463	51	219	24	0.5	90%	88%	90%
Kerala	Palakkad	26	1.5%	97%	490	75	211	32	0.6	89%	86%	86%
Kerala	Pathanamthitta	12	1.8%	100%	179	60	97	33	0.3	91%	90%	90%
Kerala	Thiruvananthapuram	32	1.8%	100%	443	55	196	25	0.6	91%	91%	91%
Kerala	Thrissur	30	0.8%	92%	575	76	267	36	0.5	90%	83%	83%

**Performance of RNTCP Case Detection (2001, 3rd Quarter), Smear Conversion (2001, 2nd Quarter),
and Treatment Outcomes (2000, 3rd Quarter)**

State	District	Population (in lakh)	% outpatients examined	% S+ve living in the district placed on DOTS	Total cases treated	Annualized total detection rate	New S+ve cases treated	Annualized smear +ve detection rate	Ratio of Smear -ve to Smear +ve patients	3 Month Conversion rate of New S+ve	Cure rate of New Smear +ve patients	Success rate of New S+ve
Kerala	Wayanad	8	2.4%	97%	114	60	52	27	0.3	88%	87%	87%
Madhya Pradesh	Bhopal	19	1.0%	92%	668	144	230	50	1.2	90%	81%	81%
Madhya Pradesh	Raisen	11.2	1.6%	85%	107		50		0.6			
Madhya Pradesh	Rajgarh	13	1.5%	89%	392	121	139	43	1.1	82%	80%	82%
Madhya Pradesh	Sehore	11	1.0%	89%	242	88	82	30	1.0	80%		
Madhya Pradesh	Vidisha	12	2.1%	76%	497	166	141	47	1.6	87%	80%	83%
Maharashtra	Ahmednagar	41	0.8%	100%	548	54	176	17	1.3	83%		
Maharashtra	Aurangabad Mc	9	1.5%	83%	188	86	75	34	0.7	88%		
Maharashtra	Aurangabad-Mh	20	1.9%	100%	463	90	188	37	0.9	96%		
Maharashtra	Dhule	17	3.1%	100%	331		143		1.1			
Maharashtra	Jalgaon	37			1182		459		0.8			
Maharashtra	Jalna	16	2.4%	100%	489		207		0.6			
Maharashtra	Kolhapur	30	2.3%		758	100	262	35	1.2	90%		
Maharashtra	Kolhapur Mun Corp	5	4.2%	96%	148	122	46	38	1.1			
Maharashtra	Latur	21	2.0%	95%	165		63		0.7			
Maharashtra	Mumbai	119	2.0%	68%	4506	151	1267	43	1.3	88%	83%	83%
Maharashtra	Nashik	39	2.300%	95%	1296	134	482	50	1.0	94%		
Maharashtra	Nashik Mun Corp	11	2.4%	90%	241	87	60	22	1.5	81%		
Maharashtra	Navi Mumbai	7	1.800%	82%	332	189	105	60	1.6	80%		
Maharashtra	Pimpri Chinchwad	10	2.6%	95%	393	156	135	54	0.8	94%	92%	92%
Maharashtra	Pune	25	3.5%	98%	699	110	286	45	0.5	92%	90%	90%
Maharashtra	Pune Rural	37	2.4%	68%	847	92	287	31	1.0	90%	86%	86%
Maharashtra	Raigarh-Mh	22	2.5%	92%	734	133	298	54	1.0	92%	84%	85%
Maharashtra	Ratnagiri	17	3.1%	93%	144		77		0.6			
Maharashtra	Sangli	21	2.1%	92%	542	101	149	28	1.2	83%		
Maharashtra	Sangli Muni Corp	4	2.3%	92%	76	70	27	25	0.6	68%		
Maharashtra	Satara	28	2.0%	98%	672	96	231	33	1.2	84%		
Maharashtra	Sindhudurg	9	2.9%	59%	61		17		1.4			
Maharashtra	Thane	45	2.4%	98%	459		200		0.9			
Maharashtra	Thane Muni Corp	13	2.4%	79%	430	136	132	42	1.0	82%		
Manipur	Imphal	9	5.6%	87%	463	206	198	88	0.7	94%	86%	86%
Orissa	Debagarh	3	1.0%	85%	51	74	26	38	0.5	97%	82%	82%
Orissa	Jharsuguda	5	1.4%	75%	229	183	81	65	0.8	95%	82%	82%
Orissa	Kendujhar	16	0.7%	83%	477	122	214	55	0.8	88%	83%	83%
Orissa	Koraput	12	2.5%	88%	365		222		0.2			
Orissa	Malkangiri	5	2.1%	91%	217	181	109		0.5			
Orissa	Mayurbhanj	22	1.6%	87%	957	174	482	88	0.6	91%	89%	90%
Orissa	Nabarangpur	10	1.6%	91%	267	105	160	63	0.3	81%		
Orissa	Sambalpur	9	1.7%	83%	240	103	117	50	0.5	89%	80%	81%
Orissa	Sundargarh	18	2.8%	82%	794	176	328	73	0.7	98%	93%	93%
Punjab	Patiala	18	1.6%	100%	229	52	101	23	0.2	83%		
Rajasthan	Ajmer	22	2.0%	75%	1007	183	420	76	0.6	91%	81%	82%
Rajasthan	Alwar	30	3.2%	96%	1145	153	482	64	0.8	82%	78%	82%
Rajasthan	Banswara	15	2.0%	100%	720	192	316	84	0.6	95%		
Rajasthan	Baran	10	1.4%	88%	409	160	143	56	0.6	91%	86%	86%

**Performance of RNTCP Case Detection (2001, 3rd Quarter), Smear Conversion (2001, 2nd Quarter),
and Treatment Outcomes (2000, 3rd Quarter)**


State	District	Population (in lakh)	% outpatients examined	% S+ve living in the district placed on DOTS	Total cases treated	Annualized total detection rate	New S+ve cases treated	Annualized smear +ve detection rate	Ratio of Smear -ve to Smear +ve patients	3 Month Conversion rate of New S+ve	Cure rate of New Smear +ve patients	Success rate of New S+ve
Rajasthan	Barmer	20	2.3%	89%	537	107	210	42	1.0	86%		
Rajasthan	Bharatpur	21	1.9%	89%	571	109	239	46	0.7	93%	83%	85%
Rajasthan	Bhilwara	20	2.6%	98%	1234	246	491	98	0.6	93%	93%	93%
Rajasthan	Bikaner	17	1.8%	89%	609	143	207	49	0.8	90%		
Rajasthan	Bundi	10	1.9%	94%	430	172	169	68	0.9	87%	81%	81%
Rajasthan	Chittaurgarh	18	2.2%		697	155	252	56	0.4	90%		
Rajasthan	Churu	19	2.7%	89%	714	150	278	59	1.1	93%	75%	75%
Rajasthan	Dausa	13	2.3%	96%	591	180	251	76	0.5	92%	90%	90%
Rajasthan	Dhaulpur	10	2.1%	100%	394	160	148	60	0.4	87%		
Rajasthan	Dungarpur	11	3.0%	94%	561	204	320	116	0.3	86%		
Rajasthan	Ganganagar	18	1.3%	97%	656	147	241	54	0.9	77%		
Rajasthan	Hanumangarh	15	2.5%	79%	686	183	269	72	0.4	90%		
Rajasthan	Jaipur	53	2.5%	89%	2556	195	879	67	0.9	90%	85%	85%
Rajasthan	Jaisalmer	5	1.8%	96%	143	114	56	45	0.8	79%		
Rajasthan	Jalore	14	2.9%	85%	485	139	187	53	0.9	88%		
Rajasthan	Jhalawar	12	2.4%	91%	449	152	180	61	0.7	93%		
Rajasthan	Jhunjhunun	19	2.3%	76%	751	158	264	56	0.7	89%	81%	82%
Rajasthan	Jodhpur	29	2.0%	84%	847	117	270	37	1.4	90%	79%	79%
Rajasthan	Karauli	12	3.0%	86%	580	193	213	71	0.5	86%	100%	100%
Rajasthan	Kota	16	2.2%	95%	604	154	239	61	0.8	92%	84%	84%
Rajasthan	Nagaur	28	2.0%	95%	912	132	292	42	1.0	95%	87%	87%
Rajasthan	Pali	18	2.4%	95%	592	132	293	65	0.7	92%	88%	89%
Rajasthan	Rajsamand	10	2.0%	92%	509	204	207	83	0.6	86%	67%	67%
Rajasthan	Sawai Madhopur	11	2.6%	89%	504	181	160	57	0.6	93%	89%	89%
Rajasthan	Sikar	23	2.2%	100%	899	158	347	61	0.7	92%	87%	88%
Rajasthan	Sirohi	9	1.2%	98%	302	142	148	70	0.5	83%		
Rajasthan	Tonk	12	2.9%	95%	650	215	307	101	0.5	97%	94%	94%
Rajasthan	Udaipur	27	2.0%	98%	1277	191	582	87	0.4	81%	79%	79%
Tamil Nadu	Chennai	42	1.1%	94%	1103	105	451	43	0.8	87%	86%	86%
Tamil Nadu	Coimbatore	42	0.2%	100%	45		26		0.4			
Tamil Nadu	Cuddalore	24	1.4%	92%	922	156	347	59	0.7	94%	86%	88%
Tamil Nadu	Dharmapuri	28	0.8%	100%	633	91	246	35	0.8	87%	53%	61%
Tamil Nadu	Dindigul	19	1.3%	100%	512	108	187	39	1.2	94%		
Tamil Nadu	Erode	27	0.7%	88%	643	96	255	38	0.8	65%		
Tamil Nadu	Kancheepuram	29	1.0%	74%	275	38	90	12	1.2	84%		
Tamil Nadu	Nagapattinam	15		100%	336	90	146	39	0.8	83%		
Tamil Nadu	Namakkal	15	0.8%	100%	437	119	161	44	0.9	92%	74%	74%
Tamil Nadu	Perambalur	5	1.3%	100%	203	162	92	74	0.6	77%		
Tamil Nadu	Pudukkottai	15	1.5%	99%	447	122	157	43	1.1	87%		
Tamil Nadu	Ramanathapuram	12	1.8%	89%	431		190		0.6			
Tamil Nadu	Salem	30	1.1%	100%	737	100	342	46	0.3	92%		
Tamil Nadu	Sivaganga	12	1.8%	100%	278	96	107	37	1.2	82%		
Tamil Nadu	Thanjavur	22	1.3%	100%	561	100	254	45	0.5	81%	55%	65%
Tamil Nadu	The Nilgiris	8	1.2%	86%	115	58	55	28	0.6	80%		
Tamil Nadu	Thiruvallur	27	1.2%	98%	836	124	330	49	0.9	64%		

**Performance of RNTCP Case Detection (2001, 3rd Quarter), Smear Conversion (2001, 2nd Quarter),
and Treatment Outcomes (2000, 3rd Quarter)**


State	District	Population (in lakh)	% outpatients examined	% S+ve living in the district placed on DOTS	Total cases treated	Annualized total detection rate	New S+ve cases treated	Annualized smear +ve detection rate	Ratio of Smear -ve to Smear +ve patients	3 Month Conversion rate of New S+ve	Cure rate of New Smear +ve patients	Success rate of New S+ve
Tamil Nadu	Tiruchirappalli	24	2.1%	100%	553	92	262	44	0.5	84%	76%	80%
Tamil Nadu	Tirunelveli	28	1.2%	100%	269		115		0.9			
Tamil Nadu	Tiruvanamalai	22	0.6%	98%	471	86	214	39	0.8	85%		
Tamil Nadu	Toothukudi	16	2.5%	100%	491	123	213	53	0.7	70%		
Tamil Nadu	Vellore	35	1.0%	100%	842	96	347	40	0.8	83%		
Tamil Nadu	Viluppuram	29	0.9%	72%	738	102	246	34	1.1	72%		
Tamil Nadu	Virudhnagar	18	2.6%		63		13		2.9			
Uttar Pradesh	Baghpat	12			423	137	187	60	0.7	87%	75%	82%
Uttar Pradesh	Barabanki	27	3.5%	96%	1068		401	59	1.0	92%	87%	87%
Uttar Pradesh	BCM Hospital Sitapur	0.5	2.5%	89%	77		11		2.5	77%	78%	78%
Uttar Pradesh	Gautam Budh Nagar	12	3.7%	98%	496	165	152	51	1.1	88%	54%	58%
Uttar Pradesh	Ghaziabad	33	3.9%	91%	1254		495	60	0.9	90%	71%	71%
Uttar Pradesh	Lucknow	37	4.3%	88%	1115		439	47	0.7	93%	92%	92%
Uttar Pradesh	Meerut	30	6.3%	98%	1818	242	785	105	0.6	95%	90%	90%
Uttar Pradesh	Rae Bareli	29	3.5%	96%	922		365	50	1.1	93%	87%	87%
Uttar Pradesh	Unnao	27	6.1%	89%	779	115	294	44	1.2	89%	77%	79%
West Bengal	Bankura	32	2.2%	98%	1230		524	66	0.8	92%		
West Bengal	Bardhaman	69	2.1%	89%	2475	143	988	57	0.8	81%		
West Bengal	Birbhum	30	2.2%	93%	949	126	443	59	0.7	75%		
West Bengal	Haora	43	1.7%	95%	1140	107	365	34	1.1	80%		
West Bengal	Hugli	50	2.7%	100%	1850	148	669	54	1.1	88%	84%	85%
West Bengal	Jalpaiguri	34	0.6%	98%	1316	155	615	72	0.7	95%	81%	81%
West Bengal	Kolkata	46		92%	1089	95	408	35	0.6	89%	87%	87%
West Bengal	Maldah	33	2.3%	95%	1333	162	408	50	1.7	86%	80%	83%
West Bengal	Murshidabad	59	1.1%	97%	1918	130	705	48	1.3	90%	83%	87%
West Bengal	Nadia	46	0.6%	100%	1091	95	381	33	1.2	82%	78%	80%
West Bengal	North 24 Parganas	89	2.0%	93%	1936	87	679	31	0.8	77%		
West Bengal	South 24 Parganas	69	1.7%	86%	1152	67	509	30	0.7	83%		
TOTAL		4318	1.9%	90%	129328	124	50808	49	0.8	87%	83%	84%

* In the performance summary for the 2nd quarter of 2001, the smear conversion rate of Shahdara in Delhi was reported incorrectly. Shahdara's smear conversion rate was 89%. The error is regretted.


Ratio of Sputum Negative to Sputum Positive Patients Third Quarter of 2001




**Annualized New Smear-Positive Detection Rate/lakh
Third Quarter of 2001**




Sputum Conversion of New Sputum Positive Patients at 3 months Second Quarter of 2001



**Cure of New Sputum Positive Patients
Third Quarter of 2000**



**Districts with low sputum conversion of
New sputum positive patients at 3 months, Second quarter of 2001
(all other districts had conversion rates of $\geq 80\%$)**



**Districts with low cure rates of new sputum positive patients,
Third quarter of 2000 (all other districts had cure rates of $\geq 80\%$)**

